	FOR	Entire territory served Community, Town or City		
			P.S.C. No.	41
MEADE COUNTY RURAL ELECTRIC	First Revised	(Original) (Revised)	Sheet No.	62
COOPERATIVE CORPORATION		Cancelling	P.S.C. No.	41
	Original	(Original) (Revised)	Sheet No.	62

Schedule 15 Net Metering

APPLICABILITY

To entire territory served.

AVAILABILITY

Net Metering is available to eligible customer-generators in the Cooperative's service territory, upon request, and on a firstcome, first-served basis up to a cumulative capacity of one percent (1%) of the Cooperative's single hour peak load in Kentucky during the previous year. If the cumulative generating capacity of net metering systems reaches 1% of the Cooperative's single hour peak load during the previous year, upon Commission approval, the Cooperative's obligation to offer net metering to a new customer-generator may be limited. An eligible customer-generator shall mean a retail electric customer of the Cooperative with a generating facility that:

- (1) Generates electricity using solar energy, wind energy, biomass or biogas energy, or hydro energy;
- (2) Has a rated capacity of not greater than forty-five (45) kilowatts;
- (3) Is located on the customer's premises;
- (4) Is owned and operated by the customer;
- (5) Is connected in parallel with the Cooperative's electric distribution system; and
- (6) Has the primary purpose of supplying all or part of the customer's own electricity requirements.

At its sole discretion, the Cooperative may provide Net Metering to other customer-generators not meeting all the conditions listed above on a case-by-case basis.

The term "Customer" hereinafter shall refer to any customer requesting or receiving Net Metering services under this tariff.

METERING

The Cooperative shall provide net metering services, without any cost to the Customer for metering equipment, through a standard kilowatt-hour metering system capable of measuring the flow of electricity in two (2) directions. This provision does not relieve Customer of his or her responsibility to pay metering costs embedded in the Cooperative's Commission-approved base rates.

Any additional meter, meters, or distribution upgrades needed to monitor the flow in each direction shall be installed at the Customer's expense.

DATE OF ISSUE	December 17, 2019	
	Month/Date/Year	
DATE EFFECTIVE	January 6, 2019	
ISSUED BY M	antin W. Littel	
	(Signature of Öfficer)	
TITLE	President / CEO	

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2019-00440</u> DATED <u>12/09/2019</u>

KENTUCKY PUBLIC SERVICE COMMISSION		
Gwen R. Pinson Executive Director		
Steven R. Punson		
EFFECTIVE		
1/6/2020 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)		

(I)

	FOR	Entire territory s	erved		
		Community	, Town or City		
		-	P.S.C. No.	41	
		(Original)	Sheet No.	63	
		(Revised)			
MEADE COUNTY RURAL ELECTRIC					
COOPERATIVE CORPORATION		Cancelling	P.S.C. No.	37	
		(Original) (Revised)	Sheet No.	ΨA	:

Schedule 15 Net Metering

BILLING

- A. The amount of electricity billed to the customer shall be calculated by taking the difference between the electricity supplied by the Cooperative to the Customer and the electricity generated and fed back by the Customer. If time-of-day or time-of-use metering is used, the electricity fed back to the electric grid by the Customer shall be net-metered and accounted for at the specific time it is fed back to the electric grid in accordance with the time-of-day or time-of-use billing agreement with the Customer then currently in place.
- B. If the electricity supplied by the Cooperative exceeds the electricity generated and fed back to the Cooperative during the billing period, the Customer shall be billed for the net electricity supplied. If the electricity fed back to the Cooperative by the Customer exceeds the electricity supplied by the Cooperative during a billing period, the Customer shall be credited for the excess kilowatt-hours, and this electricity credit shall appear on the Customer's next bill. Credits shall carry forward for the life of the customer-generator's account.
- C. The energy rates, rate structure, and monthly charges shall be identical to those in the contract or tariff to which the Customer would be assigned if the Customer were not receiving service under this tariff.
- D. Excess electricity credits are not transferable between customers or locations.
- E. No cash refund for residual generation-related credits shall be paid if an account under this tariff is closed.

APPLICATION AND APPROVAL PROCESS

The Customer shall submit an Application for Interconnection and Net Metering

("Application") and receive approval from the Cooperative prior to connecting the generator facility to the Cooperative's system.

Applications will be submitted by the Customer and reviewed and processed by the Cooperative according to either Level 1 or Level 2 processes defined below.

The Cooperative may reject an Application for violations of any code, standard, or regulation related to reliability or safety; however, the Cooperative will work with the Customer to resolve those issues to the extent practicable.

Customers may contact the Cooperative to check on status of an Application or with questions prior to submitting an Application. Cooperative contact information can be found on the Application form. The Application may be submitted by mail to, or in person at, the address found on the Application form.

	KENTUCKY PUBLIC SERVICE COMMISSION
DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN EXECUTIVE DIRECTOR
Month/Date/Year DATE EFFECTIVEAugust 20, 2013 Month/Date/Year	TARIFF BRANCH
ISSUED BY Rates are subject to change (Signature of Officer)	Num / hours
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. 2013-00033_DATED 8/20/2013	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

	FOR Enti	Entire territory served Community, Town or City		
		P.S.C. No. 41		
	(Original)	Sheet No.	64
		Revised)		
MEADE COUNTY RURAL ELECTRIC				
COOPERATIVE CORPORATION	(Cancelling	P.S.C. No.	37
	(Original)	Sheet No.	45
	(Revised)		
	· ·		Sheet No.	45

Schedule 15 Net Metering

LEVEL 1

A Level 1 Application shall be used if the generating facility is inverter-based and is certified by a nationally recognized testing laboratory to meet the requirements of Underwriters Laboratories Standard 1741 "Inverters, Converters, Controllers and Interconnection System Equipment for Use With Distributed Energy Resources" (UL 1741).

The Cooperative will approve the Level 1 Application if the generating facility also meets all of the following conditions:

- (1) For interconnection to a radial distribution circuit, the aggregated generation on the circuit, including the proposed generating facility, will not exceed 15% of the Line Section's most recent annual one hour peak load. A line section is the smallest part of the primary distribution system the generating facility could remain connected to after operation of any sectionalizing devices.
- (2) If the proposed generating facility is to be interconnected on a single-phase shared secondary, the aggregate generation capacity on the shared secondary, including the proposed generating facility, will not exceed the smaller of 20 kVA or the nameplate rating of the transformer.
- (3) If the proposed generating facility is single-phase and is to be interconnected on a center tap neutral of a 240 volt service, its addition shall not create an imbalance between the two sides of the 240 volt service of more than 20% of the nameplate rating of the service transformer.
- (4) If the generating facility is to be connected to three-phase, three wire primary Cooperative distribution lines, the generator shall appear as a phase-to-phase connection at the primary Cooperative distribution line.
- (5) If the generating facility is to be connected to three-phase, four wire primary Cooperative distribution lines, the generator shall appear to the primary Cooperative distribution line as an effectively grounded source.
- (6) The interconnection will not be on an area or spot network. Area and spot networks are systems in which multiple transformers are interconnected on the secondary side and multiple primary voltage circuits are used to feed the transformers. A spot network is typically used to serve a single building and all the transformers are in one location. An area network typically serves multiple customers with secondary conductors covering multiple city blocks and with transformers at various locations.
- (7) The Cooperative does not identify any violations of any applicable provisions of Institute of Electrical and Electronics Engineers Standard 1547 (IEEE 1547), "Standard for Interconnecting Distributed Resources with Electric Power Systems."
- (8) No construction of facilities by the Cooperative on its own system will be **FEMIRE CKac**commodate the generating facility.

DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN EXECUTIVE DIRECTOR
Month/Date/Year DATE EFFECTIVEAugust 20, 2013	TARIFF BRANCH
ISSUED By Stand Signature of Officer)	and refund at the Bunt Kirtley . 2013-00033
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

	FOR _	Entire territory se	erved Town or City	
		· · · · · · · · · · · · · · · · · · ·	P.S.C. No.	41
	· · · · · · · · · · · · · · · · · · ·	(Original) (Revised)	Sheet No.	65
MEADE COUNTY RURAL ELECTRIC COOPERATIVE CORPORATION		Cancelling _ (Original)	P.S.C. No. Sheet No.	37 454
		(Revised)		

Schedule 15 Net Metering

If the generating facility does not meet all of the above listed criteria, the Cooperative, in its sole discretion, may either: 1) approve the generating facility under the Level 1 Application if the Cooperative determines that the generating facility can be safely and reliably connected to the Cooperative's system; or 2) deny the Application as submitted under the Level 1 Application.

The Cooperative shall notify the customer within 20 business days whether the Application is approved or denied, based on the criteria provided in this section.

If the Application lacks complete information, the Cooperative shall notify the Customer that additional information is required, including a list of such additional information. The time between notification and receipt of required additional information will add to the time to process the Application.

When approved, the Cooperative will indicate by signing the approval line on the Level 1 Application Form and returning it to the Customer. The approval will be subject to successful completion of an initial installation inspection and witness test. The Customer shall notify the Cooperative within 3 business days of completion of the generating facility installation and schedule an inspection and witness test with the Cooperative to occur within 10 business days of completion of the generating facility installation or as otherwise agreed to by the Cooperative and the Customer. The Customer may not operate the generating facility until successful completion of such inspection and witness test, unless the Cooperative expressly permits operational testing not to exceed two hours. If the installation fails the inspection or witness test due to noncompliance with any provision in the Application and Cooperative approval, the Customer shall not operate the generating facility until any and all noncompliance is corrected and re-inspected by the Cooperative.

If the Application is denied, the Cooperative will supply the Customer with reasons for denial. The Customer may resubmit under Level 2 if appropriate.

LEVEL 2

A Level 2 Application is required under any of the following:

- (1) The generating facility is not inverter based;
- (2) The generating facility uses equipment that is not certified by a nationally recognized testing laboratory to meet the requirements of UL 1741; or
- (3) The generating facility does not meet one or more of the additional conditions under Level 1.

The Cooperative will approve the Level 2 Application if the generating facility meets the Cooperative's technical interconnection requirements, which are based on IEEE 1547. The Cooperative shall make its technical interconnection requirements available online and upon request.

	PUBLIC SERVICE COMMISSION
DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN EXECUTIVE DIRECTOR
DATE EFFECTIVE August 20, 2013	TARIFF BRANCH
ISSUED BY Month/Data fear	and refund at the Rout Kin Huns. 2013-00033
(Signature of Officer)	EFFECTIVE
TITLE President / CEO	8/20/2013
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

FOR	Entire territory served		
	Community	, Town or City P.S.C. No.	41
· · · · · · · · · · · · · · · · · · ·	(Original) (Revised)	Sheet No.	66
	Cancelling	P.S.C. No.	37
	(Original) (Revised)	Sheet No.	46

CLASSIFICATION OF SERVICE

The Cooperative will process the Level 2 Application within 30 business days of receipt of a complete Application. Within that time the Cooperative will respond in one of the following ways:

- (1) The Application is approved and the Cooperative will provide the Customer with an Interconnection Agreement to sign.
- (2) If construction or other changes to the Cooperative's distribution system are required, the cost will be the responsibility of the Customer. The Cooperative will give notice to the Customer and offer to meet to discuss estimated costs and construction timeframe. Should the Customer agree to pay for costs and proceed, the Cooperative will provide the Customer with an Interconnection Agreement to sign within a reasonable time.
- (3) The Application is denied. The Cooperative will supply the Customer with reasons for denial and offer to meet to discuss possible changes that would result in Cooperative approval. Customer may resubmit Application with changes.

If the Application lacks complete information, the Cooperative shall notify the Customer that additional information is required, including a list of such additional information. The time between notification and receipt of required additional information will add to the 30-business-day target to process the Application.

The Interconnection Agreement will contain all the terms and conditions for interconnection consistent with those specified in this tariff, inspection and witness test requirements, description of and cost of construction or other changes to the Cooperative's distribution system required to accommodate the generating facility, and detailed documentation of the generating facilities which may include single line diagrams, relay settings, and a description of operation.

The Customer may not operate the generating facility until an Interconnection Agreement is signed by the Customer and Cooperative and all necessary conditions stipulated in the agreement are met.

APPLICATION, INSPECTION AND PROCESSING FEES

No application fees, or other review, study, or inspection or witness test fees are charged for Level 1 Applications.

For Level 2 Applications, each Customer must submit, along with the Application, a non-refundable application, inspection and processing fee of \$100. In the event the Cooperative determines an impact study is necessary with respect to a Level 2 Application, the Customer shall be responsible for any reasonable costs up to \$1,000 for the initial impact study. The Cooperative shall provide documentation of the actual cost of the impact study. Any other studies requested by the Customer shall be at the Customer's sole expense.

TERMS AND CONDITIONS FOR INTERCONNECTION	KENTUCKY PUBLIC SERVICE COMMISSION
DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN
Month/Date/Year	EXECUTIVE DIRECTOR
DATE EFFECTIVEAugust 20, 2013 Month/Det/Year ISSUED BX Signature of Officer) TITLE	TARIFF BRANCH refund at the co
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE	8/20/2013
COMMISSION IN CASE NO2013-00033_DATED8/20/2013	PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

FOR	Entire territory served		
	Community, Town or City		
		P.S.C. No.	41
	(Original)	Sheet No.	61
	(Revised)		•
	Cancelling	P.S.C. No.	37
	(Original)	Sheet No.	46A
-	(Revised)		

Schedule 15 Net Metering

CLASSIFICATION OF SERVICE

To interconnect to the Cooperative's distribution system, the Customer's generating facility shall comply with the following terms and conditions:

- 1. The Cooperative shall provide the Customer net metering services, without charge for standard metering equipment, through a standard kilowatt-hour metering system capable of measuring the flow of electricity in two (2) directions. If the Customer requests any additional meter or meters or distribution upgrades are needed to monitor the flow in each direction, such installations shall be at the Customer's expense.
- 2. The Customer shall install, operate, and maintain, at Customer's sole cost and expense, any control, protective, or other equipment on the Customer's system required by the Cooperative's technical interconnection requirements based on IEEE 1547, the NEC, accredited testing laboratories such as Underwriters Laboratories, and the manufacturer's suggested practices for safe, efficient and reliable operation of the generating facility in parallel with Cooperative's electric system. Customer shall bear full responsibility for the installation, maintenance and safe operation of the generating facility. Upon reasonable request from the Cooperative, the Customer shall demonstrate generating facility compliance.
- 3. The generating facility shall comply with, and the Customer shall represent and warrant its compliance with: (a) any applicable safety and power quality standards established by IEEE and accredited testing laboratories such as Underwriters Laboratories; (b) the NEC as may be revised from time to time; (c) Cooperative's rules, regulations, and Cooperative's Service Regulations as contained in Cooperative's Retail Electric Tariff as may be revised from time to time with the approval of the Kentucky Public Service Commission (Commission); (d) the rules and regulations of the Commission, as such rules and regulations may be revised from time to time by the Commission; and (e) all other applicable local, state, and federal codes and laws, as the same may be in effect from time to time. Where required by law, Customer shall pass an electrical inspection of the generating facility by a local authority having jurisdiction over the installation.
- 4. Any changes or additions to the Cooperative's system required to accommodate the generating facility shall be considered excess facilities. Customer shall agree to pay Cooperative for actual costs incurred for all such excess facilities prior to construction.
- 5. Customer shall operate the generating facility in such a manner as not to cause undue fluctuations in voltage, intermittent load characteristics or otherwise interfere with the operation of Cooperative's electric system. At all times when the generating facility is being operated in parallel with Cooperative's electric system, Customer shall so operate the generating facility in such a manner that no adverse impacts will be produced thereby to the service quality rendered by Cooperative to any of its other customers or to any electric system interconnected with Cooperative's electric system. Customer shall agree that the interconnection and operation of the generating facility is secondary to, and shall the interconnection with,

	PUBLIC SERVICE COMMISSION
DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN EXECUTIVE DIRECTOR
Month/Date/Year DATE EFEECTIVEAugust 20, 2013 Month/Date/Year	TARIFF BRANCH
ISSED BY Concerned Rates are subject to chang (Signature of Officer)	e and refund at t Bunt Kirtley No. 2013-00033
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

FOR	Entire territory s	erved		
	Community	, Town or City P.S.C. No.	.41	
	(Original) (Revised)	Sheet No.	68	_
	Cancelling (Original) (Revised)	P.S.C. No. Sheet No.	37 47	

CLASSIFICATION OF SERVICE

Cooperative's ability to meet its primary responsibility of furnishing reasonably adequate service to its customers.

- 6. Customer shall be responsible for protecting, at Customer's sole cost and expense, the generating facility from any condition or disturbance on Cooperative's electric system, including, but not limited to, voltage sags or swells, system faults, outages, loss of a single phase of supply, equipment failures, and lightning or switching surges, except that the Cooperative shall be responsible for repair of damage caused to the generating facility resulting solely from the negligence or willful misconduct on the part of the Cooperative.
- 7. After initial installation, Cooperative shall have the right to inspect and/or witness commissioning tests, as specified in the Level 1 or Level 2 Application and approval process. Following the initial testing and inspection of the generating facility and upon reasonable advance notice to Customer, Cooperative shall have access at reasonable times to the generating facility to perform reasonable on-site inspections to verify that the installation, maintenance, and operation of the generating facility comply with the requirements of this tariff.
- 8. For Level 1 and 2 generating facilities, where required by the Cooperative, an eligible Customer shall furnish and install on Customer's side of the point of common coupling a safety disconnect switch which shall be capable of fully disconnecting the Customer's energy generating equipment from Cooperative's electric service under the full rated conditions of the Customer's generating facility. The external disconnect switch (EDS) shall be located adjacent to Cooperative's meters or the location of the EDS shall be noted by placing a sticker on the meter, and shall be of the visible break type in a metal enclosure which can be secured by a padlock. If the EDS is not located directly adjacent to the meter, the Customer shall be responsible for ensuring that the location of the EDS is properly and legibly identified for so long as the generating facility is operational. The disconnect switch shall be accessible to Cooperative personnel at all times. The Cooperative may waive the requirement for an EDS for a generating facility at its sole discretion, and on a case-by-case basis, upon review of the generating facility operating parameters and if permitted under the Cooperative's safety and operating protocols.

The Cooperative shall establish a training protocol for line workers on the location and use of the EDS, and shall require that the EDS be used when appropriate, and that the switch be turned back on once the disconnection is no longer necessary.

9. Cooperative shall have the right and authority at Cooperative's sole discretion to isolate the generating facility or require the Customer to discontinue operation of the generating facility if Cooperative believes that: (a) continued interconnection and parallel operation of the generating facility with Cooperative's electric system creates or contributes (or may create or contribute) to a system emergency on either Cooperative's or Customer's electric system; (b) the generating facility is **ROTHING COND** and the noncompliance adverse y affects the sofest relation of the sofest relation of the sofest relation of the generating facility is **ROTHING COND**.

DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN	
Month/Date/Year	EXECUTIVE DIRECTOR	
DATE EFFECTIVEAugust 20, 2013 ISSIED Month/Date Year (Signature of Officer)	TARIFF BRANCH	
TITLE President / CEO	EFFECTIVE	
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE	8/20/2013	
COMMISSION IN CASE NO2013-00033_DATED8/20/2013	PURSUANT TO 807 KAR 5:011 SECTION 9 (1)	

FOR E	Entire territory s	erved	
	Community	, Town or City	
	(Original)	P.S.C. No. Sheet No.	<u>La</u>
	(Revised)		<u></u>
	Cancelling	P.S.C. No.	37
	(Original) (Revised)	Sheet No.	48

CLASSIFICATION OF SERVICE

Schedule 15 Net Metering

quality of Cooperative's electric system; or (c) the generating facility interferes with the operation of Cooperative's electric system. In non-emergency situations, Cooperative shall give Customer notice of noncompliance including a description of the specific noncompliance condition and allow Customer a reasonable time to cure the noncompliance prior to isolating the generating facilities. In emergency situations, when the Cooperative is unable to immediately isolate or cause the Customer to isolate only the generating facility, the Cooperative may isolate the Customer's entire facility.

- 10. Customer shall agree that, without the prior written permission from Cooperative, no changes shall be made to the generating facility as initially approved. Increases in generating facility capacity will require a new "Application for Interconnection and Net Metering" which will be evaluated on the same basis as any other new application. Repair and replacement of existing generating facility components with like components that meet UL 1741 certification requirements for Level 1 facilities and not resulting in increases in generating facility capacity is allowed without approval.
- 11. To the extent permitted by law, the Customer shall protect, indemnify, and hold harmless the Cooperative and its directors, officers, employees, agents, representatives and contractors against and from all loss, claims, actions or suits, including costs and attorneys fees, for or on account of any injury or death of persons or damage to property caused by the Customer or the Customer's employees, agents, representatives and contractors in tampering with, repairing, maintaining, or operating the Customer's generating facility or any related equipment or any facilities owned by the Cooperative except where such injury, death or damage was caused or contributed to by the fault or negligence of the Cooperative or its employees, agents, representatives, or contractors.

The liability of the Cooperative to the Customer for injury to person and property shall be governed by the tariff(s) for the class of service under which the Customer is taking service.

- 12. The Customer shall maintain general liability insurance coverage (through a standard homeowner's, commercial, or other policy) for both Level 1 and Level 2 generating facilities. Customer shall, upon request, provide Cooperative with proof of such insurance at the time that application is made for net metering.
- 13. By entering into an Interconnection Agreement, or by inspection, if any, or by non-rejection, or by approval, or in any other way, Cooperative does not give any warranty, express or implied, as to the adequacy, safety, compliance with applicable codes or requirements, or as to any other characteristics, of the generating facility equipment, controls, and protective relays and equipment.
- 14. A Customer's generating facility is transferable to other persons or service locations only after notification to the Cooperative has been made and verification that the installation is in compliance with this tariff. Upon written notification that an approved generating facility is being transferred to another person, customer, or location, the Cooperative will verify that the installation is upcompliance with this

DATE OF ISSUE August 21, 2013 Month/Date/Year	JEFF R. DEROUEN EXECUTIVE DIRECTOR
DATE EFFECTIVE August 20, 2013	TARIFF BRANCH
(Signature of Officer)	and refund at the Bunt Kirtley . 2013-00033
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

FOR E	Entire territory served		
	Community, Town or City		
		P.S.C. No.	41
	(Original)	Sheet No.	70
<u></u>	(Revised)		
	Cancelling	P.S.C. No.	37
	(Original)	Sheet No.	49
	(Revised)		

Schedule 15 Net Metering

MEADE COUNTY RURAL ELECTRIC COOPERATIVE CORPORATION

tariff and provide written notification to the customer(s) within 20 business days. If the installation is no longer in compliance with this tariff, the Cooperative will notify the Customer in writing and list what must be done to place the facility in compliance.

15. The Customer shall retain any and all Renewable Energy Credits (RECs) that may be generated by their generating facility.

	KENTUCKY PUBLIC SERVICE COMMISSION	
DATE OF ISSUE August 21, 2013 Month/Date/Year	JEFF R. DEROUEN EXECUTIVE DIRECTOR	
DATE EFFECTIVEAugust 20, 2013	TARIFF BRANCH	
ISSUED BY Rates are subject to change (Signature of Officer)	and refund at the Runt Kinkley 2. 2013-00033	
TITLE President / CEO	EFFECTIVE	
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. 2013-00033_DATED 8/20/2013	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)	

		FOR	Entire territory s	erved	
			Community,	Town or City P.S.C. No.	41
			(Original)	Sheet No.	71
MEADE COUNTY RURAL ELECTI	RIC	4	(Revised)		
COOPERATIVE CORPORATION			Cancelling	P.S.C. No.	37
			(Original) (Revised)	Sheet No.	50
Schedule 15 Net Metering	CLASSIFIC	ATION OI	x ,	٤.	
Application for	<u>LEVEL 1</u> Interconnection and	d Net Met	ering	ал сайтай С	
Use this application form only for a generating for testing laboratory to meet the requirements of UL 12		er based a	and certified by	a nationally	recognized
Submit this Application to: [Cooperative na	me and address]				
If you have questions regarding this Application or i	its status, contact the	Cooperati	ve at: [Phone #	, email]	
Customer Name:	Account 1	Number:			
Customer Address:					
Customer Phone No.:	Customer	E-Mail A	ddress:		
Project Contact Person:					·
Phone No.:	E-mail A	ddress (Op	tional):		
Provide names and contact information for other or installation of the generating facilities:	contractors, installers	s, or engin	eering firms in	volved in the	e design and
	· ·				
			· · · ·		
	· · · · · · · · · · · · · · · · · · ·		<u>-</u>		
Energy Source: Solar Wind Hydro	Biogas Bion	nass			
Inverter Manufacturer and Model #:					
Inverter Power Rating:	Inverter Voltage R	ating:			
Power Rating of Energy Source (i.e., solar panels, w	vind turbine):				
Is Battery Storage Used: No Yes	If Yes, Battery Pov	wer Rating		NTUCKY	
			PUBLIC SER		
DATE OF ISSUE <u>August 21, 2013</u> Month/Date/Year				R. DEROUE	
DATE EFEECTIVEAugust 20, 2013 Month/Date Year				FF BRANCH	0040 00000
(Signature of Officer)	ates are subj ect to char	ige and refu	nd at the Burn	Kirtley	. 2013-00033
TITLE President / CEO	· · · · · · · · · · · · · · · · · · ·		E	FECTIVE	

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. 2013-00033_DATED____ 8/20/2013

8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

		Entire territory served Community, Town or City	
	(Origi (Revis	P.S.C. No. nal) Sheet No.	41 72
MEADE COUNTY RURAL ELECTRIC COOPERATIVE CORPORATION	Cance (Origi (Revis	nal) Sheet No.	37 30A

Schedule 15 Net Metering

Attach documentation showing that inverter is certified by a nationally recognized testing laboratory to meet the requirements of UL 1741.

Attach site drawing or sketch showing location of Cooperative's meter, energy source, Cooperative accessible disconnect switch, and inverter.

Attach single line drawing showing all electrical equipment from the Cooperative's metering location to the energy source including switches, fuses, breakers, panels, transformers, inverters, energy source, wire size, equipment ratings, and transformer connections.

Expected Start-up Date:

TERMS AND CONDITIONS:

- 1. The Cooperative shall provide Customer net metering services, without charge for standard metering equipment, through a standard kilowatt-hour metering system capable of measuring the flow of electricity in two (2) directions. If the Customer requests any additional meter or meters or distribution upgrades are needed to monitor the flow in each direction, such installations shall be at the Customer's expense.
- 2. Customer shall install, operate, and maintain, at Customer's sole cost and expense, any control, protective, or other equipment on the Customer's system required by the Cooperative's technical interconnection requirements based on IEEE 1547, the NEC, accredited testing laboratories such as Underwriters Laboratories, and the manufacturer's suggested practices for safe, efficient, and reliable operation of the generating facility in parallel with Cooperative's electric system. Customer shall bear full responsibility for the installation, maintenance, and safe operation of the generating facility. Upon reasonable request from the Cooperative, the Customer shall demonstrate generating facility compliance.
- 3. The generating facility shall comply with, and the Customer shall represent and warrant its compliance with: (a) any applicable safety and power quality standards established by the Institute of Electrical and Electronics Engineers (IEEE) and accredited testing laboratories such as Underwriters Laboratories (UL); (b) the National Electrical Code (NEC) as may be revised from time to time; (c) Cooperative's rules, regulations, and Cooperative's Service Regulations as contained in Cooperative's Retail Electric Tariff as may be revised from time to time with the approval of the Kentucky Public Service Commission (Commission); (d) the rules and regulations of the Commission, as such rules and regulations may be revised from time to time by the Commission; and (e) all other applicable local, state, and federal codes and laws, as the same may be in effect from time to time. Where required by law, Customer shall pass an electrical inspection of the generating facility by a local authority having jurisdiction over the installation.
- 4. Any changes or additions to the Cooperative's system required to accommodate the generating facility shall be considered excess facilities. Customer shall agree to pay Gooperative for all such excess facilities prior to construction.

Tor an such excess tachings prior to construction	
DATE OF ISSUE August 21, 2013 Month/Date/Year	JEFF R. DEROUEN EXECUTIVE DIRECTOR
DATE EFFECTIVEAugust 20, 2013	TARIFF BRANCH
ISSUED BY Month/Date Year (Signature of Officer)	nd refund at the Bunt Kirtley 2013-00033
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

FOR	Entire territory s		
	Community	, Town or City P.S.C. No.	41
	(Original) (Revised)	Sheet No.	13
·	Cancelling (Original) (Revised)	P.S.C. No. Sheet No.	37 50B

CLASSIFICATION OF SERVICE

- 5. Customer shall operate the generating facility in such a manner as not to cause undue fluctuations in voltage, intermittent load characteristics, or otherwise interfere with the operation of Cooperative's electric system. At all times when the generating facility is being operated in parallel with Cooperative's electric system, Customer shall so operate the generating facility in such a manner that no adverse impacts will be produced thereby to the service quality rendered by Cooperative to any of its other customers or to any electric system interconnected with Cooperative's electric system. Customer shall agree that the interconnection and operation of the generating facility is secondary to, and shall not interfere with, Cooperative's ability to meet its primary responsibility of furnishing reasonably adequate service to its customers.
- 6. Customer shall be responsible for protecting, at Customer's sole cost and expense, the generating facility from any condition or disturbance on Cooperative's electric system, including, but not limited to, voltage sags or swells, system faults, outages, loss of a single phase of supply, equipment failures, and lightning or switching surges, except that the Cooperative shall be responsible for repair of damage caused to the generating facility resulting solely from the negligence or willful misconduct on the part of the Cooperative.
- 7. After initial installation, Cooperative shall have the right to inspect and/or witness commissioning tests, as specified in the Level 1 or Level 2 Application and approval process. Following the initial testing and inspection of the generating facility and upon reasonable advance notice to Customer, Cooperative shall have access at reasonable times to the generating facility to perform reasonable on-site inspections to verify that the installation, maintenance and operation of the generating facility comply with the requirements of this tariff.
- 8. For Level 1 generating facilities, where required by the Cooperative, an eligible Customer shall furnish and install on Customer's side of the point of common coupling a safety disconnect switch which shall be capable of fully disconnecting the Customer's energy generating equipment from Cooperative's electric service under the full rated conditions of the Customer's generating facility. The external disconnect switch (EDS) shall be located adjacent to Cooperative's meters or the location of the EDS shall be noted by placing a sticker on the meter, and shall be of the visible break type in a metal enclosure which can be secured by a padlock. If the EDS is not located directly adjacent to the meter, the Customer shall be responsible for ensuring the location of the EDS is properly and legibly identified for so long as the generating facility is operational. The disconnect switch shall be accessible to Cooperative personnel at all times. The Cooperative may waive the requirement for an EDS for a generating facility at its sole discretion, and on a case-by-case basis, upon review of the generating facility operating parameters and if permitted under the Cooperative's safety and operating protocols.

DATE OF ISSUE August 21, 2013 Month/Date/Year	KENTUCKY PUBLIC SERVICE COMMISSION	
	JEFF R. DEROUEN EXECUTIVE DIRECTOR	
DATE EFFECTIVEAugust 20, 2013	TARIFF BRANCH	
ISSUED BY Month/Date/Year (Signature of Officer)	nd refund at the Burnt Kirtley 2013-00033	
TITLE President / CEO	EFFECTIVE	
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)	

FOR	Entire territory served		
	Community	, Town or City P.S.C. No.	41
·	(Original) (Revised)	Sheet No.	.24
	Cancelling	P.S.C. No.	37
	(Original) (Revised)	Sheet No.	Soc

CLASSIFICATION OF SERVICE

The Cooperative shall establish a training protocol for line workers on the location and use of the EDS, and shall require that the EDS be used when appropriate, and that the switch be turned back on once the disconnection is no longer necessary.

- 9. Cooperative shall have the right and authority at Cooperative's sole discretion to isolate the generating facility or require the Customer to discontinue operation of the generating facility if Cooperative believes that: (a) continued interconnection and parallel operation of the generating facility with Cooperative's electric system creates or contributes (or may create or contribute) to a system emergency on either Cooperative's or Customer's electric system; (b) the generating facility is not in compliance with the requirements of this tariff, and the noncompliance adversely affects the safety, reliability or power quality of Cooperative's electric system; or (c) the generating facility interferes with the operation of cooperative's electric system. In non-emergency situations, Cooperative shall give Customer notice of noncompliance including a description of the specific noncompliance condition and allow Customer a reasonable time to cure the noncompliance prior to isolating the generating facilities. In emergency situations, when the Cooperative is unable to immediately isolate or cause the Customer to isolate only the generating facility, the Cooperative may isolate the Customer's entire facility.
- 10. Customer shall agree that, without the prior written permission from Cooperative, no changes shall be made to the generating facility as initially approved. Increases in generating facility capacity will require a new "Application for Interconnection and Net Metering" which will be evaluated on the same basis as any other new application. Repair and replacement of existing generating facility components with like components that meet UL 1741 certification requirements for Level 1 facilities and not resulting in increases in generating facility capacity is allowed without approval.
- 11. To the extent permitted by law, the Customer shall protect, indemnify, and hold harmless the Cooperative and its directors, officers, employees, agents, representatives and contractors against and from all loss, claims, actions or suits, including costs and attorneys fees, for or on account of any injury or death of persons or damage to property caused by the Customer or the Customer's employees, agents, representatives and contractors in tampering with, repairing, maintaining or operating the Customer's generating facility or any related equipment or any facilities owned by the Cooperative except where such injury, death or damage was caused or contributed to by the fault or negligence of the Cooperative or its employees, agents, representatives, or contractors.

The liability of the Cooperative to the Customer for injury to person and property shall be governed by the tariff(s) for the class of service under which the Customer is taking service.

12. The Customer shall maintain general liability insurance coverage (through a standard homeowner's, commercial, or other policy) for Level 1 generating facilities. Customer shall, upon request, provide Cooperative with proof of such insurance at the time that application is made for net metering.

	KENTUCKY PUBLIC SERVICE COMMISSION
DATE OF ISSUE August 21, 2013 Month/Date/Year	JEFF R. DEROUEN EXECUTIVE DIRECTOR
DATE EFFECTIVEAugust 20, 2013	TARIFF BRANCH
ISSUED By English and Signature of Officer)	nd refund at the Burnt Kirtley 2013-00033
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. 2013-00033 DATED 8/20/2013	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

FOR Entire territory served
Community, Town or City
(Original) P.S.C. No. 41 (Original) Sheet No. 75
(Revised)
Cancelling P.S.C. No. 37
(Original) Sheet No. <u>So D</u> (Revised)

- 13. By entering into an Interconnection Agreement, or by inspection, if any, or by non-rejection, or by approval, or in any other way, Cooperative does not give any warranty, express or implied, as to the adequacy, safety, compliance with applicable codes or requirements, or as to any other characteristics, of the generating facility equipment, controls, and protective relays and equipment.
- 14. A Customer's generating facility is transferable to other persons or service locations only after notification to the Cooperative has been made and verification that the installation is in compliance with this tariff. Upon written notification that an approved generating facility is being transferred to another person, customer, or location, the Cooperative will verify that the installation is in compliance with this tariff and provide written notification to the customer(s) within 20 business days. If the installation is no longer in compliance with this tariff, the Cooperative will notify the Customer in writing and list what must be done to place the facility in compliance.
- 15. The Customer shall retain any and all Renewable Energy Credits (RECs) that may be generated by their generating facility.

Effective Term and Termination Rights

This Agreement becomes effective when executed by both parties and shall continue in effect until terminated. This Agreement may be terminated as follows: (a) Customer may terminate this Agreement at any time by giving the Cooperative at least sixty (60) days' written notice; (b) Cooperative may terminate upon failure by the Customer to continue ongoing operation of the generating facility; (c) either party may terminate by giving the other party at least thirty (30) days prior written notice that the other party is in default of any of the terms and conditions of the Agreement or the Rules or any rate schedule, tariff, regulation, contract, or policy of the Cooperative may terminate by giving the Customer at least thirty (30) days notice in the event that there is a material change in an applicable law, regulation or statute affecting this Agreement or which renders the system out of compliance with the new law or statute.

I hereby certify that, to the best of my knowledge, all of the information provided in this Application is true, and I agree to abide by all the Terms and Conditions included in this Application for Interconnection and Net Metering and Cooperative's Net Metering Tariff.

Customer Signature Da	ate
Title	
	KENTUCKY PUBLIC SERVICE COMMISSION
DATE OF ISSUE August 21, 2013 Month/Date/Year	JEFF R. DEROUEN EXECUTIVE DIRECTOR
DATE EFFECTIVEAugust 20, 2013 Month/Date/fear	TARIFF BRANCH
ISSUED Contract of Officer) TITLE President / CEO	e ard refund at the c Bunt Kirtley 2013-00033
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO2013-00033_DATED8/20/2013	EFFECTIVE 8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

	FOR Entire territory served	
	Community, Town or Cit	у
	P.S.C. No	. 41
	(Original) Sheet No.	96
	(Revised)	
MEADE COUNTY RURAL ELECTRIC		
COOPERATIVE CORPORATION	Cancelling P.S.C. No	. 37
	(Original) Sheet No.	SOE
	(Revised)	
E		

Schedule 15 Net Metering

COOPERATIVE APPROVAL SECTION

When signed below by a Cooperative representative, Application for Interconnection and Net Metering is approved subject to the provisions contained in this Application and as indicated below.

Cooperative inspection and witness test: Required Waived

If Cooperative inspection and witness test is required, Customer shall notify the Cooperative within 3 business days of completion of the generating facility installation and schedule an inspection and witness test with the Cooperative to occur within 10 business days of completion of the generating facility installation or as otherwise agreed to by the Cooperative and the Customer. Unless indicated below, the Customer may not operate the generating facility until such inspection and witness test is successfully completed. Additionally, the Customer may not operate the generating facility until all other terms and conditions in the Application have been met.

Call______to schedule an inspection and witness test.

Pre-Inspection operational testing not to exceed two hours: Allowed Not Allowed

If Cooperative inspection and witness test is waived, operation of the generating facility may begin when installation is complete, and all other terms and conditions in the Application have been met.

Additions, Changes, or Clarifications to Application Information:

None	As specified here:			
Approved by:		Date:	·	
Printed Name: _		Title:		_
			KENTUCKY PUBLIC SERVICE COMMISS	ION
DATE OF ISSUE	August 21, 2013 Month/Date/Year		JEFF R. DEROUEN EXECUTIVE DIRECTOR	
DATE EFFECTIVE	August 20, 201 <u>3</u> Month/Date/Vear		TARIFF BRANCH	
ISSUEDBY	(Signature of Officer)	tes are subject to change an	refund at the a Bunt Kirkley 2013-0	0033
	esident / CEO		EFFECTIVE	
BY AUTHORITY OF OI COMMISSION IN CASI	RDER OF THE PUBLIC SERVICE E NO. <u>2013-00033</u> DATED	8/20/2013	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION	9 (1)

		FOR E	ntire territory se	Town or City	
			Community,	P.S.C. No.	41
			(Original)	Sheet No.	21
MEADE COUNTY RURAL ELECTRIC			(Revised)		
COOPERATIVE CORPORATION			Cancelling	P.S.C. No.	37
		<u> </u>	(Original)	Sheet No.	51
			(Revised)		
Schedule 15	CLASSIFIC	ATION OF S	ERVICE		
Net Metering					
<u>Application For Interc</u>	EVEL 2 onnection An	<u>d Net Meter</u>	ing		
Use this Application form when generating facility is not testing laboratory to meet the requirements of UL 1741 or	ot inverter-bas does not meet	sed or is not any of the ad	certified by ditional requi	a nationally irements und	recognized er Level 1.
Submit this Application along with an application fee of \$1	.00 to: [Cooperative r	ame and add	ress]	
If you have questions regarding this Application or its statu	is, contact the	Cooperative a	t: [Phone #,	email]	ĸ
Customer Name:	Account N	Number:	·		
Customer Address:			<u>.</u>		
Project Contact Person:				·	
Phone No.:	Email Add	lress (Optiona	ul):		
Provide names and contact information for other contract installation of the generating facilities:	ors, installers	, or engineeri	ng firms invo	olved in the	design and
		<u> </u>			
Total Generating Capacity of Generating Facility:		:			
Type of Generator: Inverter-Based Synchronous	Induction			~	
Power Source: Solar Wind Hydro Bioga Adequate documentation and information must be submitt this should include the following:	as Bioma and with this a	ss application to	be considere	ed complete.	Typically
1. Single-line diagram of the customer's sys point of interconnection with the Cooper switchgear, switches, breakers, fuses, vol ratings, and transformer connections.	rative's distrib	ution system.	including ge	enerators tra	nsformers
raungo, and transformer connections.		P	KE	NTUCKY /ICE COMN	IISSION
DATE OF ISSUE August 21, 2013 Month/Date/Year				R. DEROUE	
DATE EFFECTIVEAugust 20, 2013			TARI	FF BRANCH	
ISSUED BY 5 Month/Dife/Year	ubject to chang	e and refund of	the cr A	J/ 10	042 00000
(Signature of Officer) TITLE President / CEO	joor to onang	e une rerunu al	Bunt	Kirtley	013-00033
			EF	FECTIVE	
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. 2013-00033 DATED 8/20/201	3	PL	8/2	0/2013 7 KAR 5:011 SE	CTION 9 (1)

	FOR Entire territory served
	Community, Town or City P.S.C. No. 41
	(Original) Sheet No. 75 (Revised)
MEADE COUNTY RURAL ELECTRIC COOPERATIVE CORPORATION	Cancelling P.S.C. No. 37 (Original) Sheet No. <u>5/4</u> (Revised)

- 2. Control drawings for relays and breakers.
- 3. Site Plans showing the physical location of major equipment.
- 4. Relevant ratings of equipment. Transformer information should include capacity ratings, voltage ratings, winding arrangements, and impedance.
- 5. If protective relays are used, settings applicable to the interconnection protection. If programmable relays are used, a description of how the relay is programmed to operate as applicable to interconnection protection.
- 6. A description of how the generator system will be operated including all modes of operation.
- 7. For inverters, the manufacturer name, model number, and AC power rating. For certified inverters, attach documentation showing that inverter is certified by a nationally recognized testing laboratory to meet the requirements of UL 1741.
- 8. For synchronous generators, manufacturer and model number, nameplate ratings, and impedance data (Xd, X'd, & X"d).
- 9. For induction generators, manufacturer and model number, nameplate ratings, and locked rotor current.

Customer Signature:	Date:
	PUBLIC SERVICE COMMISSION
	JEFF R. DEROUEN EXECUTIVE DIRECTOR
DATE OF ISSUE August 21, 2013 Month/Date/Year	TARIFF BRANCH
DATE EFFECTIVEAugust 20, 2013	
ISSUED BY	abject to change and refund at the Burnt Kinklup. 2013-00033
(Signature of Officer)	EFFECTIVE
TITLE President / CEO	
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE	8/20/2013
COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/201</u>	3 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

MEADE	COUNTY	RURAL	ELECTRIC
COOF	PERATIVE	CORPO	RATION

FOR	Entire territory served		
	Community	, Town or City P.S.C. No.	41
	(Original) (Revised)	Sheet No.	<u> 79</u>
	Cancelling (Original) (Revised)	P.S.C. No. Sheet No.	37 51B

Schedule 15 Net Metering

LEVEL 2 INTERCONNECTION AGREEMENT

THIS INTERCONNECTION AGREEMENT (Agreement) is made and entered into this _____day of ______, 20___, by and between ______ (Cooperative), and ______ (Cooperative), and ______ (Customer). Cooperative and Customer are hereinafter sometimes referred to individually as "Party" or collectively as "Parties".

WITNESSETH:

WHEREAS, Customer is installing, or has installed, generating equipment, controls, and protective relays and equipment (Generating Facility) used to interconnect and operate in parallel with Cooperative's electric system, which Generating Facility is more fully described in Exhibit A, attached hereto and incorporated herein by this Agreement, and as follows:

Location:

Generator Size and Type:

NOW, THEREFORE, in consideration thereof, Customer and Cooperative agree as follows:

Cooperative agrees to allow Customer to interconnect and operate the Generating Facility in parallel with the Cooperative's electric system and Customer agrees to abide by Cooperative's Net Metering Tariff and all the Terms and Conditions listed in this Agreement including any additional conditions listed in Exhibit A.

Terms and Conditions:

To interconnect to the Cooperative's distribution system, the Customer's generating facility shall comply with the following terms and conditions:

- 1. The Cooperative shall provide Customer net metering services, without charge for standard metering equipment, through a standard kilowatt-hour metering system capable of measuring the flow of electricity in two (2) directions. If the Customer requests any additional meter or meters or distribution upgrades are needed to monitor the flow in each direction, such installations shall be at the Customer's expense.
- 2. Customer shall install, operate, and maintain, at Customer's sole cost and expense, any control, protective, or other equipment on the Customer's system required by the Cooperative's technical interconnection requirements based on IEEE 1547, the NEC, accredited testing laboratories such as Underwriters Laboratories, and the manufacturer's suggested practices for safe, efficient, **MENTELEOLE** operation of the generating facility in parallel with Cooperative's electric system. Obstomer Shall Dear OM Metsoelistical interconnection in the system of the system.

DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN EXECUTIVE DIRECTOR
Month/Date/Year DATE EFFECTIVEAugust 20, 2013	TARIFF BRANCH
IS SUED BY	and refund at the Burnt Kirtley . 2013-00033
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

FOR E	Entire territory served		
	Community,	Town or City	
		P.S.C. No.	41
	(Original)	Sheet No.	RD
	(Revised)		
	Cancelling	P.S.C. No.	37
	(Original)	Sheet No.	SIC
	(Revised)		Ŧ

<u>Schedule 15</u> Net Metering

CLASSIFICATION OF SERVICE

for the installation, maintenance, and safe operation of the generating facility. Upon reasonable request from the Cooperative, Customer shall demonstrate generating facility compliance.

- 3. The generating facility shall comply with, and Customer shall represent and warrant its compliance with: (a) any applicable safety and power quality standards established by the Institute of Electrical and Electronics Engineers (IEEE) and accredited testing laboratories such as Underwriters Laboratories (UL); (b) the National Electrical Code (NEC) as may be revised from time to time; (c) Cooperative's rules, regulations, and Cooperative's Service Regulations as contained in Cooperative's Retail Electric Tariff as may be revised from time to time with the approval of the Kentucky Public Service Commission (Commission); (d) the rules and regulations of the Commission, as such rules and regulations may be revised from time to time by the Commission; and (e) all other applicable local, state, and federal codes and laws, as the same may be in effect from time to time. Where required by law, Customer shall pass an electrical inspection of the generating facility by a local authority having jurisdiction over the installation.
- 4. Any changes or additions to the Cooperative's system required to accommodate the generating facility shall be considered excess facilities. Customer shall agree to pay Cooperative for actual costs incurred for all such excess facilities prior to construction.
- 5. Customer shall operate the generating facility in such a manner as not to cause undue fluctuations in voltage, intermittent load characteristics or otherwise interfere with the operation of Cooperative's electric system. At all times when the generating facility is being operated in parallel with Cooperative's electric system, Customer shall so operate the generating facility in such a manner that no adverse impacts will be produced thereby to the service quality rendered by Cooperative to any of its other customers or to any electric system interconnected with Cooperative's electric system. Customer shall agree that the interconnection and operation of the generating facility is secondary to, and shall not interfere with, Cooperative's ability to meet its primary responsibility of furnishing reasonably adequate service to its customers.
- 6. Customer shall be responsible for protecting, at Customer's sole cost and expense, the generating facility from any condition or disturbance on Cooperative's electric system, including, but not limited to, voltage sags or swells, system faults, outages, loss of a single phase of supply, equipment failures, and lightning or switching surges, except that the Cooperative shall be responsible for repair of damage caused to the generating facility resulting solely from the negligence or willful misconduct on the part of the Cooperative.
- 7. After initial installation, Cooperative shall have the right to inspect and/or witness commissioning tests, as specified in the Level 1 or Level 2 Application and approval process. Following the initial testing and inspection of the generating facility and upon reasonable advance notice to Customer. Cooperative shall have access at reasonable times to the generating facility to perform reasonable **ENTITIENTS**

	PUBLIC SERVICE COMINISSION
DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN EXECUTIVE DIRECTOR
Month/Date/Year DATE EFFECTIVEAugust 20, 201 <u>3</u> Month/Date/Year	TARIFF BRANCH
ISSUED BY Concerner Rates are subject to change a (Signature of Officer)	Num / winning
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

	FOR Entire territory served	
	Community, Town or City P.S.C. No. <u>41</u>	
	(Original) Sheet No.	
MEADE COUNTY RURAL ELECTRIC		
COOPERATIVE CORPORATION	Cancelling P.S.C. No. 37	
	(Original) Sheet No. <u>57</u> (Revised)	

verify that the installation, maintenance and operation of the generating facility comply with the requirements of this tariff.

8. For Level 2 generating facilities, where required by the Cooperative, an eligible Customer shall furnish and install on Customer's side of the point of common coupling a safety disconnect switch which shall be capable of fully disconnecting the Customer's energy generating equipment from Cooperative's electric service under the full rated conditions of the Customer's generating facility. The external disconnect switch (EDS) shall be located adjacent to Cooperative's meters or the location of the EDS shall be noted by placing a sticker on the meter and shall be of the visible break type in a metal enclosure which can be secured by a padlock. If the EDS is not located directly adjacent to the meter, the Customer shall be responsible for ensuring the location of the EDS is properly and legibly identified for so long as the generating facility is operational. The disconnect switch shall be accessible to Cooperative personnel at all times. The Cooperative may waive the requirement for an EDS for a generating facility at its sole discretion, and on a case-by-case basis, upon review of the generating facility operating parameters and if permitted under the Cooperative's safety and operating protocols.

The Cooperative shall establish a training protocol for line workers on the location and use of the EDS, and shall require that the EDS be used when appropriate, and that the switch be turned back on once the disconnection is no longer necessary.

- 9. Cooperative shall have the right and authority at Cooperative's sole discretion to isolate the generating facility or require the Customer to discontinue operation of the generating facility if Cooperative believes that: (a) continued interconnection and parallel operation of the generating facility with Cooperative's electric system creates or contributes (or may create or contribute) to a system emergency on either Cooperative's or Customer's electric system; (b) the generating facility is not in compliance with the requirements of this tariff, and the noncompliance adversely affects the safety, reliability or power quality of Cooperative's electric system; or (c) the generating facility interferes with the operation of cooperative's electric system. In non-emergency situations, Cooperative shall give Customer a reasonable time to cure the noncompliance prior to isolating the Generating Facilities. In emergency situations, where the Cooperative is unable to immediately isolate or cause the Customer to isolate only the generating facility, the Cooperative may isolate the Customer's entire facility.
- 10. Customer shall agree that, without the prior written permission from Cooperative, no changes shall be made to the generating facility as initially approved. Increases in generating facility capacity will require a new "Application for Interconnection and Net Metering" which will be evaluated on the same basis as any other new application. Repair and replacement of existing generating facility components not resulting in increases in generating facility capacity is allowed without approval.

	KENTUCKY PUBLIC SERVICE COMMISSION
DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN EXECUTIVE DIRECTOR
Month/Date/Year DATE EFFECTIVEAugust 20, 2013 Month/Date/year	TARIFF BRANCH
ISSUED By Control Cont	Num / working
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE	EFFECTIVE 8/20/2013
COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

	FOR Entire territory served	
	Community, Town or City	-
	P.S.C. No. 41	
	(Original) Sheet No.	_
MEADE COUNTY RURAL ELECTRIC	(Revised)	
COOPERATIVE CORPORATION	Cancelling P.S.C. No. 37	
	(Original) Sheet No. <u>5/E</u> (Revised)	-

Schedule 15 Net Metering

CLASSIFICATION OF SERVICE

11. To the extent permitted by law, the Customer shall protect, indemnify, and hold harmless the Cooperative and its directors, officers, employees, agents, representatives and contractors against and from all loss, claims, actions or suits, including costs and attorneys fees, for or on account of any injury or death of persons or damage to property caused by the Customer or the Customer's employees, agents, representatives and contractors in tampering with, repairing, maintaining, or operating the Customer's generating facility or any related equipment or any facilities owned by the Cooperative except where such injury, death or damage was caused or contributed to by the fault or negligence of the Cooperative or its employees, agents, representatives, or contractors.

The liability of the Cooperative to the Customer for injury to person and property shall be governed by the tariff(s) for the class of service' under which the Customer is taking service.

- 12. The Customer shall maintain general liability insurance coverage (through a standard homeowner's, commercial, or other policy). Customer shall provide Cooperative with proof of such insurance at the time that application is made for net metering.
- 13. By entering into an Interconnection Agreement, or by inspection, if any, or by non-rejection, or by approval, or in any other way, Cooperative does not give any warranty, express or implied, as to the adequacy, safety, compliance with applicable codes or requirements, or as to any other characteristics, of the generating facility equipment, controls, and protective relays and equipment.
- 14. A Customer's generating facility is transferable to other persons or service locations only after notification to the Cooperative has been made and verification that the installation is in compliance with this tariff. Upon written notification that an approved generating facility is being transferred to another person, customer, or location, the Cooperative will verify that the installation is in compliance with this tariff and provide written notification to the customer(s) within 20 business days. If the installation is no longer in compliance with this tariff, the Cooperative will notify the Customer in writing and list what must be done to place the facility in compliance.
- 15. The Customer shall retain any and all Renewable Energy Credits (RECs) that may be generated by their generating facility.

Effective Term and Termination Rights

This Agreement becomes effective when executed by both parties and shall continue in effect until terminated. This Agreement may be terminated as follows: (a) Customer may terminate this Agreement at any time by giving the Cooperative at least sixty (60) days' written notice; (b) Cooperative may terminate upon failure by the Customer to continue ongoing operation of the generating facility; (c) either party may terminate by giving the other party at least thirty (30) days prior written notice that the other party is in default of any of the terms and conditions of the Agreenent of the Rules or any rate schedule, tariff, regulation, contract, or policy of the Cooperative, so long as the indefeed specifies the back the back

DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN EXECUTIVE DIRECTOR
Month/Date/Year DATE EFFECTIVEAugust 20, 2013 Month/Date/Year ISSUEP BY (Signature of Officer)	TARIFF BRANCH d refund at the Bunt Kirkley 2013-00033
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

	FOR Entire territory served
	Community, Town or City P.S.C. No. 41
	(Original) Sheet No. <u>£3</u> (Revised)
MEADE COUNTY RURAL ELECTRIC COOPERATIVE CORPORATION	Cancelling P.S.C. No. 37 (Original) Sheet No. <u>5/F</u> (Revised)

Schedule 15 Net Metering

termination and there is opportunity to cure the default; (d) the Cooperative may terminate by giving the Customer at least thirty (30) days notice in the event that there is a material change in an applicable law, regulation, or statute affecting this Agreement or which renders the system out of compliance with the new law or statute.

IN WITNESS WHEREOF, the Parties have executed this Agreement, effective as of the date first above written.

COOPERATIVE

CUSTOMER

By:	By:
Printed Name	Printed Name
Title:	Title:

	KENTUCKY PUBLIC SERVICE COMMISSION
DATE OF ISSUEAugust 21, 2013	JEFF R. DEROUEN EXECUTIVE DIRECTOR
Month/Date/Year DATE EFFECTIVEAugust 20, 2013 Month/Date/Year ISSUED ByRates are subject to change an (Signature of Officer)	TARIFF BRANCH
TITLE President / CEO	EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

	FOR Entire territory served
	Community, Town or City
	P.S.C. No. 41
	(Original) Sheet No. 84
	(Revised)
MEADE COUNTY RURAL ELECTRIC	
COOPERATIVE CORPORATION	Cancelling P.S.C. No. 37
	(Original) Sheet No. 516
	(Revised)

Schedule 15 Net Metering

Exhibit A

Exhibit A will contain additional detailed information about the Generating Facility such as a single line diagram, relay settings, and a description of operation.

When construction of Cooperative facilities is required, Exhibit A will also contain a description and associated cost.

Exhibit A will also specify requirements for a Cooperative inspection and witness test and when limited operation for testing or full operation may begin.

	KENTUCKY PUBLIC SERVICE COMMISSION
DATE OF ISSUE August 21, 2013	JEFF R. DEROUEN EXECUTIVE DIRECTOR
Month/Date/Year DATE EFFECTIVEAugust 20, 2013 Month/Date/Year	
ISSUEDBY Control (Signature of Officer) TITLE President / CEO	d refund at the Kulley 2013-00033 EFFECTIVE
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION IN CASE NO. <u>2013-00033</u> DATED <u>8/20/2013</u>	8/20/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)